



## Notice under s. 33 of the *Bush Fires Act 1954*

### FIRST AND FINAL WARNING

Notice is hereby given to all landowners/occupiers within the Shire of Moora that you are required on or before 1 November Annually to comply with the below directives to reduce the outbreak, spread and extension of a bushfire and maintain at that standard until 29 March Annually under s. 33 of the *Bush Fires Act 1954*.

**Failure to comply with this notice may incur penalties up to \$5000 and the required works carried out at the expense of the owner/occupier.**

Requirements of land 4000-metre square and <b>under</b>	Requirements of land 4001-metre square and <b>over</b>
<ul style="list-style-type: none"> <li>• <b>Slashing</b> Dead flammable matter including dead grass shrubs and plants shall be slashed, mowed, or trimmed down by other means to a height no greater than 50mm across the entire property.</li> <li>• <b>Asset Protection</b> Maintain all dead flammable material below 2 tonne per hectare across the entirety of the property. (See definitions for fuel load)</li> <li>• <b>Clean Gutters</b> Ensure roofs, gutters and walls of all buildings are free of flammable matter.</li> </ul>	<ul style="list-style-type: none"> <li>• <b>Slashing</b> Dead flammable matter including dead grass shrubs and plants shall be slashed, mowed or trimmed down by other means to a height no greater than 50mm across the entire property. Unless used for pasture or crop.</li> <li>• <b>Asset Protection</b> Maintain all dead flammable material below 2 tonne per hectare extending 20 metres out from all buildings. (See definitions for fuel load)</li> <li>• <b>Clean Gutters</b> Ensure roofs, gutters and walls of all buildings are free of flammable matter.</li> <li>• <b>Fire Breaks</b> Install a minimum 3-metre-wide by 4-metre-height clearance fire break no further than 10 metres away from: <ul style="list-style-type: none"> <li>- The entirety of the property boundary</li> <li>- All buildings, sheds and fuel storage</li> <li>- All stationary internal combustion engines</li> <li>- All electric motors or pumps</li> </ul> </li> </ul>
<p><b>Harvest and Agricultural activities:</b> A separate firefighting appliance is required to be present in any paddock being harvested, churning, raking stubble, straw baling and associated allied activities or any other activity likely to cause a bushfire during restricted and prohibited periods. The firefighting unit must be in a state of readiness and have a minimum capacity of 400 litres of water, a powered pump and minimum 20m hose. The farm firefighting unit should be parked on bare ground in or near the working area.</p>	
<p><b>Plantations as of 1 January 2020:</b> <b>Plantations 3 hectares or less</b></p> <ul style="list-style-type: none"> <li>• Require a 6-metre-wide by 4-metre-height clearance fire break around the entirety.</li> </ul> <p><b>Plantations over 3 hectares</b></p> <ul style="list-style-type: none"> <li>• 15-metre-wide by 4-metre-height clearance fire break around the entirety</li> <li>• 6-metre-wide by 4-metre-height clearance internal fire breaks a minimum of every 30 hectares</li> <li>• Minimum of 25,000L water supply and hard stand for every 50 hectares no further than 20 minutes turnaround</li> </ul>	
<p><b>Other works:</b> A Fire Control Officer may direct in writing other works to be carried out.</p>	

### **Bushfire Management Plans:**

All properties that are subject to a Bushfire Management Plan because of a subdivision, development application or a Shire approved treatment plan must comply with the requirements of such plans in their entirety in addition to the requirements of this notice.

### **Definitions**

#### **Fire break**

Trafficable clearing for heavy 4WD vehicles.  
No less than 3 metres width clearance.  
No less than 4 metres height clearance.  
Must be constructed in a continuous form with no obstructions or dead ends.  
Must not contain any flammable material.  
Must not be further than 10 metres off the property boundaries.

#### **Fuel measurement – Asset Protection Zone**

Fuel load refers to dead, flammable materials such as leaf litter, dry grass, woods under 6mm in diameter.  
2.7 Tonne per hectare as per the Shire of Moora Fuel Load Measuring tool provided on the Shire website or upon request from the Shire administration.

#### **Plantation:**

Any area of planted trees, other than a wind break, that exceeds three hectares in a gazetted town site or elsewhere a stand of trees of 10 hectares or larger, that has been established by sowing or planting native or exotic tree species selected and managed intensively for their commercial and environmental value. A plantation includes roads, tracks, firebreaks and small areas of native vegetation.

### **Variation Request**

The shire of Moora understands that not all landowners/occupiers are able to complete the requirements set out by this notice. In these circumstances the owner/occupier must complete a Request for Variation form no later than 1 October.

A Variation request must be completed in whole for consideration by the Shire and may be rejected for any reason the Shire feels fit. **NOTE: If the variation request is not approved then the applicant must comply with all requirements of this notice prior to 1 November.**

For an in-depth guide on how to comply with the Fire Hazard Reduction Notice, visit [www.moora.wa.gov.au](http://www.moora.wa.gov.au) and download the Fire Safety Booklet.

**Compliance inspection will be carried out by Fire Control Officers as of 1 November annually under the authority of the *Bush Fire Act 1954*.**

**Gavin Robins**  
**Chief Executive Officer**



**A:** 34 Padbury Street, Moora 6510 WA  
**P:** (08) 9651 0000  
**F:** (08) 9651 1722  
**E:** shire@moora.wa.gov.au